

Motor-integrated drive system

Distributed servo drive IndraDrive Mi - KSM



Motor-integrated drive system

Distributed servo drive ■ IndraDrive Mi - KSM

Documentation



Benefits:

- \bullet Reduction of the cabinet size by up to 70 %
- \bullet Reduction of wiring work by up to 85 %
- · Machines/systems are significantly more flexible and modular

With KSM the motor-integrated drive series of IndraDrive Mi, Rexroth introduces another milestone in drive technology – electronic control system and servo motor combined in one ultra-compact unit.

This makes IndraDrive Mi the ideal solution for all applications where maximum flexibility and economic efficiency should come along with minimum space requirements.

In addition to its compact design, KSM combines the best characteristics of an IndraDrive and MSK servo motor – from the drive-integrated PLC according to IEC 61131-3 up to protection category IP65.

Technical data

Electric data

Туре	Type Maximum speed		Maximum torque Continuous cur- rent at standstill		Maximum current	Moment of inertia	
	n _{Max}	M _o	M _{Max}	I ₀	I _{Max}	J	
	[1/min]	[Nm]	[Nm]	[A]	[A]	[kgm²]	
KSM01.2B-041C- 42	5500	2.2	9.4	1.5	6.8	0.00017	
KSM01.2B-061C- 35	4300	6	25	3.3	14.9	- 0.00087	
KSM01.2B-061C- 61	6000	5.5	18	5.2			
KSM01.2B-071C- 24	3400	10.5	35	4.6	17.7	0.00173	
KSM01.2B-071C- 35	4700	10	28	6] 17.7	0.00173	
KSM01.2B-076C- 35	4700	8.7	29	5.2		0.0043	

Dimensions

Type	А	В	С	Ø D	ØE	ØF	Ø G	Н	Weight
	[mm]	[kg]							
KSM01.2B-041C-42	82	252	30	14	50	95	6.6	201	5.5

Motor-integrated drive system

Distributed servo drive ■ IndraDrive Mi - KSM

Туре	Α	В	С	ØD	ØE	ØF	ØG	Н	Weight
	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[mm]	[kg]
KSM01.2B-061C-35	445	071	40	10	05	100		01.0	0.5
KSM01.2B-061C-61	115	271	40	19	95	130	9	216	9.5
KSM01.2B-071C-24	140	007	58 32	00	400				4.4
KSM01.2B-071C-35		307		130	165	11	248	14	
KSM01.2B-076C-35		290	50	24	110				14.5

Components

Servo Drives

Description	Page	Details		
Converters	IndraDrive C	HCS02		
Converters	IndraDrive C	HCS03		
Modular inverters	Power supplies	IndraDrive M - HMV		
Motor-integrated drive system	Distributed drive controller	IndraDrive Mi - KMS		
Motor-integrated drive system	Electronic control system	IndraDrive Mi - KCU		

Representante oficial de:



[Argentina]



Calle 49 N $^\circ$ 5764 - Villa Ballester (B1653AOX) - Prov. de Buenos Aires - ARGENTINA Tel: (+54 11) 4768-4242 / Fax: (+54 11) 4849-1212

Mail: ventas@nakase.com.ar / Web: www.nakase.com.ar