

**Connection cap with homerun cable**

for 4-way distribution box, 4-pole

**Image**

Vicarious picture

**Approvals****Form**

84459

**Technical Data**

Housing	Plastic, flame retardant
Temperature range	-20...+80 °C, depending on cable quality

**You can chose from the following variants:**



	<b>Art.-No.</b>
Cap with cable for d-box M12 4-way 4-pole no pot.-sep. 3m PUR/PVC-JB, 4x0,34+3x0,75	8000-84459-3330300
Cap with cable for d-box M12 4-way 4-pole no pot.-sep. 5m PUR/PVC-JB, 4x0,34+3x0,75	8000-84459-3330500
Cap with cable for d-box M12 4-way 4-pole no pot.-sep. 10m PUR/PVC-JB, 4x0,34+3x0,75	8000-84459-3331000
Cap with cable for d-box M12 4-way 4-pole no pot.-sep. 15m PUR/PVC-JB, 4x0,34+3x0,75	8000-84459-3331500
Cap with cable for d-box M12 4-way 4-pole no pot.-sep. 20m PUR/PVC-JB, 4x0,34+3x0,75	8000-84459-3332000
Cap with cable for d-box M12 4-way 4-pole no pot.-sep. 25m PUR/PVC-JB, 4x0,34+3x0,75	8000-84459-3332500
Cap with cable for d-box M12 4-way 4-pole no pot.-sep. 30m PUR/PVC-JB, 4x0,34+3x0,75	8000-84459-3333000

**Comments**

Further cable lengths on request.  
 Plastic housings with good resistance against chemicals and oils.  
 The resistance to aggressive media should be individually tested for your application. Further details on request.


## Contact layout

M12-Females 4-pole



for 1 signal per port

## Dimension drawing



Representante oficial de:



[Argentina – Uruguay – Paraguay – Bolivia – Colombia – y Perú.]



Calle 49 N° 5764 - Villa Ballester (B1653AOX) - Prov. de Buenos Aires - ARGENTINA  
Tel: (+54 11) 4768-4242 / Fax: (+54 11) 4849-1212  
Mail: [ventas@nakase.com.ar](mailto:ventas@nakase.com.ar) / Web: [www.nakase.com.ar](http://www.nakase.com.ar)

